



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name CH182A
Use of the preparation Inkjet printing.
Version # 01
Revision date 03-13-2009
CAS # Mixture
Synonym(s) ColorSpan 0900768-004
Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomerinquiries@hp.com

Date prepared Mar 13, 2009
MSDS number 361169

2. Hazards Identification

Acute health effects

Skin contact Contact with skin may result in irritation. Avoid contact with the skin.
Eye contact Contact with eyes may result in irritation. Avoid contact with eyes.
Inhalation May be harmful by inhalation.
Ingestion May be harmful if swallowed.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Potential health effects

Carcinogenicity

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Diethylene glycol	111-46-6	5-10
polyethylene glycol (3%)	25322-68-3	5-10
Glycerol Ethoxylate	31694-55-0	1-5
Carbon black	1333-86-4	0-5
Isothiazolone DF35	26172-55-4	0-1
Styrene/Acrylic Polymer	Proprietary	0-1
Triethanolamine	102-71-6	0-1
Wetting Agent PG	Proprietary	0-1
Composition comments	Carbon black is present only in a bound form in this preparation.	



MATERIAL SAFETY DATA SHEET

4. First Aid Measures

First aid procedures

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops or persists.

Skin contact

In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water.

Wash clothing separately before reuse.

Inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Get medical attention, if needed.

Ingestion

Rinse mouth out with water. Give several glasses of water. Do not induce vomiting. If symptoms persist, get medical attention.

5. Fire Fighting Measures

Flash point and method

Not flammable

Flammable properties

The product is not flammable.

Extinguishing media

Suitable extinguishing media

Use any media suitable for the surrounding fires.

Unusual fire and explosion hazard

The product is not flammable.

Protection of firefighters

Protective equipment and precautions for firefighters

Wear suitable protective equipment.

6. Accidental Release Measures

Personal precautions

Avoid contact with skin. Do not touch or walk through spilled material. Use personal protective equipment to minimize exposure to skin and eye.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Clean up in accordance with all applicable regulations.

Clean-up methods - small spillage; Flush area with flooding quantities of water.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing. Use only with adequate ventilation.

Storage

Keep out of the reach of children. Keep tightly closed in a dry, cool and well-ventilated place.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components

Type

Value

Triethanolamine (102-71-6)

TWA

5 mg/m³

Personal protective equipment

General

Eye wash fountain and emergency showers are recommended.

Eye / face protection

Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

Skin protection

Use of butyl rubber or nitrile gloves is recommended. Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.

Respiratory protection

Under normal conditions, respirator is not normally required. Provide adequate ventilation.



MATERIAL SAFETY DATA SHEET

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing.
When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

Color	Black
Odor	Not significant.
Odor threshold	Not available.
Physical state	Liquid.
Form	Aqueous solution.
pH	7 - 9
Melting point	< 32 °F (< 0 °C)
Freezing point	Not available.
Boiling point	> 212 °F (> 100 °C)
Flash point	Not flammable
Evaporation rate	Not available.
Flammability	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Relative density	Not available.
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
VOC	< 150 g/L

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under normal storage conditions.
Conditions to avoid	Avoid high temperatures.
Hazardous decomposition products	Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Carcinogenicity	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.
-----------------	---

IARC Monographs on Occupational Exposures to Chemical Agents: Evidence of carcinogenicity in humans

Carbon black (1333-86-4)	Inadequate data.
Triethanolamine (102-71-6)	Inadequate data.



MATERIAL SAFETY DATA SHEET

US ACGIH Threshold Limit Values: A4 carcinogen

Carbon black (1333-86-4)

Group A4 Not classifiable as a human carcinogen.

Symptoms and target organs**Target Organs (NIOSH)**

Carbon black (1333-86-4)

Eyes

Carbon black (1333-86-4)

Respiratory system

12. Ecological Information**Ecotoxicity**

None known.

Aquatic toxicity

No information available.

Persistence and degradability

Not available.

13. Disposal Considerations**Disposal instructions**

Dispose of in compliance with federal, state, and local regulations.

14. Transport Information**IATA**

Not regulated as dangerous goods.

15. Regulatory Information**US federal regulations**

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

US TSCA Section 12(b) Export Notification: Export Notification requirement/De minimis concentration

Isothiazolone DF35 (26172-55-4)

1.0 % One-Time Export Notification only.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)**Hazard categories**Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No**Section 302 extremely hazardous substance**

No

Section 311 hazardous chemical

No

State regulations**US - Pennsylvania RTK - Hazardous Substances: Listed substance**

Carbon black (1333-86-4)

Listed.

Diethylene glycol (111-46-6)

Listed.

Triethanolamine (102-71-6)

Listed.

16. Other Information**HMIS® ratings**Health: 1
Flammability: 0
Physical hazard: 0
Personal protection: B**NFPA ratings**Health: 0
Flammability: 0
Instability: 0**Issue date**

Mar 13 2009 6:38AM



MATERIAL SAFETY DATA SHEET

Revision

1

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Manufacturer information

Hewlett-Packard
11311 K-Tel Drive
Minnetonka, MN 55343 US
Product Information 1-800-925-0563